

The basic build up of a 9300 booth

The booth consists of 8 interchangeable wall panels. Any panel can be placed on any position. This is an unique feature that allows to set-up the booth in any desired configuration.

The basic build up starts with one corner of the 9300 booth. Simply connect a window and blind panel with a corner post profile by using the supplied alan key.

Easily work your self around the booth and finish the booth by adding the 2 roof panels on the booth and place the ventilation units on the roof. The table is easy to install without using tools at all.


Benefits:

- ▲ Easy installation, can be performed by 1 person
- ▲ Good working environment
- ▲ Clear view windows (safety glass)
- ▲ Cable ducts in the side panels
- ▲ Durable build
- ▲ Meets ISO 4043 and DIN 56924
- ▲ 2-tone panel decoration (inside)
- ▲ Expandable up to 4 persons
(options see page 26)

Options:

- ▲ Extensions set's
- ▲ Flightcase top loader
- ▲ Flightcase front oader
- ▲ Transport cart
- ▲ Other colours and finishing's on request

Silent 9300 series sound insulation capacity



Technical testing specifications:

Signal	Pink noise
Bandwidth:	1/3 octaves
DW (ISO 717):	24 db





Technical specifications Audipack Silent 9300 interpreter booth

Dimensions:	
Standard internal dimensions	1600 x 1600 x 2000 mm
Standard external dimensions	1682 x 1682 x 2041 mm
Booth height including ventilation system A	2118 mm
Booth height including ventilation system B	2212 mm
Standard table dimensions	1600 x 500 mm
Sound insulation capacity	Better than ISO 4043 (latest version)
Number of booth parts including table	11 parts

Weight:	
Weight (total incl. Safety glass, table)	Approx. 210 Kg
Blind panel	Approx. 17 Kg
Window panel	Approx. 22 Kg
Roof panel + optional ventilation system A	Approx. 18 Kg
Door panel Approx.	19 Kg
Working table (50 cm depth)	Approx. 8 Kg
Ventilation system A	Approx. 6 Kg
Ventilation system B	Approx. 3.5 Kg

Colours:	
Standard colour exterior	Grey, code 871 (approx. RAL 7042)
Standard colours interior:	
-Wall panels from floor to table height	Dark grey
-Wall panels from table height to top and roof panels	White

Options:	
Extension set for extending a standard booth to 3 or 4 persons (internal 2400/3200 x 1600 x 2000 mm). Including window panel, blind panel, roof element and table extension 800 x 500 mm	
Flightcase (front loader or top loader) for 2 person booth	
Flightcase for Silent 9300 3 person booth	
Flightcase for 3 extension sets	
Booth transport car "easy drive"	
Ventilation system A (fixed)	
Ventilation system B (detachable)	
Other colours on request	

